

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	64162	microelectromechanical or micro-electromechanical or micro-electro-mechanical or mems or microactuator	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TD_B
2	BRS	L3	378673	latch	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TD_B
3	BRS	L5	463018	magnet	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TD_B
4	BRS	L2	1044	335/78.ccls. 200/181.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TD_B

	Type	L #	Hits	Search Text	DBs
5	BRS	L6	7	1 same 3 same 5	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
6	BRS	L7	60	(US-5808384-\$ or US- 6607305-\$ or US-6496612-\$ or US-6469602-\$ or US- 6538799-\$ or US-6522452-\$ or US-6388789-\$ or US- 6469603-\$ or US-6366186-\$ or US-6351051-\$ or US- 6350015-\$ or US-6285485-\$ or US-6310526-\$ or US- 6241342-\$ or US-6198606-\$ or US-6171886-\$ or US- 6124650-\$ or US-6084281-\$ or US-6068010-\$ or US- 5863024-\$ or US-5783879-\$ or US-5644177-\$ or US- 5629918-\$ or US-5472539-\$ or US-5327033-\$ or US- 5724015-\$).did. or (US- 5945898-\$ or US-6040748-\$ or US-5475353-\$ or US- 4570139-\$ or US-5898515-\$ or US-6320145-\$ or US- 6040749-\$ or US-6246305-\$ or US-5481188-\$ or US- 6621266-\$ or US-6184755-\$ or US-6175232-\$ or US- 6166478-\$ or US-6124649-\$ or US-6087743-\$ or US- 5998995-\$ or US-5909069-\$ or US-5874798-\$ or US- 5818227-\$ or US-5723919-\$ or US-5710466-\$ or US- 5331852-\$ or US-5322258-\$ or US-6515382-\$ or US- 6507187-\$ or US-6473274-\$ or US-6415821-\$).did. or (US-6408884-\$ or US- 6215318-\$ or US-5166612-\$	USPAT

				or US-4912990-\$ or US- 6611140-\$ or US-6593731-\$ or US-6146103-\$).did.	
--	--	--	--	--	--

	Type	L #	Hits	Search Text	DBs
7	BRS	L8	149	(US-5629918-\$ or US-6809436-\$ or US-6831380-\$ or US-5327033-\$ or US-6285485-\$ or US-6538799-\$ or US-6469602-\$ or US-6469603-\$ or US-6198606-\$ or US-4570139-\$ or US-6515382-\$ or US-6473274-\$ or US-5909069-\$ or US-5724015-\$ or US-6040748-\$ or US-6593731-\$ or US-6408884-\$ or US-6246305-\$ or US-6750745-\$ or US-5322258-\$ or US-5898515-\$ or US-6771081-\$ or US-5166612-\$ or US-6166478-\$ or US-6087743-\$ or US-6124650-\$).did. or (US-6241342-\$ or US-5331852-\$ or US-6320145-\$ or US-6664786-\$ or US-6184755-\$ or US-6124649-\$ or US-4912990-\$ or US-5945898-\$ or US-6798942-\$ or US-6084281-\$ or US-6717227-\$ or US-6633212-\$ or US-5723919-\$ or US-6722206-\$ or US-6040749-\$ or US-6175232-\$ or US-5481188-\$ or US-6781732-\$ or US-5874798-\$ or US-5472539-\$ or US-5818227-\$ or US-6215318-\$ or US-5863024-\$ or US-6068010-\$ or US-6350015-\$ or US-6146103-\$ or US-6607305-\$).did. or (US-5783879-\$ or US-6171886-\$ or US-6639493-\$ or US-6507187-\$ or US-6366186-\$ or US-6415821-\$ or US-6661617-\$ or US-6388789-\$ or US-6676106-\$ or US-6794965-\$ or US-5644177-\$ or US-5710466-\$ or US-6621266-\$ or US-6668627-\$ or US-5475353-\$ or US-5808384-\$ or US-6522452-\$ or US-6496612-\$	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

				or US-6310526-\$ or US-6611140-\$ or US-5998995-\$ or US-6351051-\$).did.	
8	BRS	L9	20	L8 and latch\$3 and magnet and coil	US- PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TD B
9	BRS	L10	16372	magnet.clm.	US- PGPUB
10	BRS	L11	19791	latch\$3.clm.	US- PGPUB

	Type	L #	Hits	Search Text	DBs
11	BRS	L12	3588	(microelectromechanical or micro-electromechanical or micro-electro-mechanical or mems or microactuator).clm.	US- PGPUB
12	BRS	L13	2	10 11 12	US- PGPUB
13	BRS	L14	56	10 12	US- PGPUB
14	BRS	L15	54287	magnet\$4.clm.	US- PGPUB
15	BRS	L16	8	15 11 12	US- PGPUB
16	BRS	L17	453	15 11 switch	US- PGPUB
17	BRS	L18	238	15 11 switch.clm.	US- PGPUB
18	BRS	L19	1833	obtuse.clm.	US- PGPUB
19	BRS	L20	61937	perpendicular.clm.	US- PGPUB
20	BRS	L21	408	19 and 20	US- PGPUB
21	BRS	L22	10	21 and switch.clm.	US- PGPUB
22	BRS	L23	1	21 and 12	US- PGPUB